KONICA MINOLTA

bizhub 4201i

Black and white A4 printer

bizhub i-SERIES IS SMARTER WORKING

RETHINK IT

Giving Shape to Ideas

CUSTOMER BENEFITS

Mobile connectivity
Print anytime from anywhere with Konica Minolta´s innovative mobile technologies

Sustainability
Eco-friendly performance thanks to the integrated Eco mode which lowers energy consumption, thus saving costs

Small Footprint
Its small footprint and compact design make it perfectly suitable even for the smallest office as well as desktop use

OPTIONS

1 MEDIA INPUT

- **Paper tray** PF-P23
- **Paper tray** PF-P24

2 MEDIA OUTPUT

- **Convenience stapler** CS-2
- **Paper Tray Lock** PTL-5A

FINISHING FUNCTIONALITIES

Duplex

Corner stapling (offline)

DESCRIPTIONS

MEDIA INPUT

PF-P23 Paper tray	250 sheets; Ltr, Lgl; 60–120 gsm
PF-P24 Paper tray	520 sheets; Ltr, Lgl; 60–120 gsm

MEDIA OUTPUT

CS-2 Convenience stapler	50-sheet off-line stapling
PTL-5A Paper Tray Lock	

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

Panel size/resolution	1 line LCD
System memory (standard/max)	256 MB (standard/max)
Interface	Wireless (2.4 GHz) IEEE 802.11 b/g/n; Wi-Fi Direct IEEE 802.11 g/n, Wireless (5 GHz) IEEE 802.11 a/n; Wi-Fi Direct IEEE 802.11 a/n
Network protocols	TCP/IP (IPv4 / IPv6); LPD; IPP; SNMP; HTTP; HTTP(S)
Paper input capacity (standard/max)	520 sheets / 1,610 sheets (standard/max)
Paper Tray 1	1x 520 sheets; 4.1"x5.8" to 8.5"x14"; 60–120 gsm
Paper Tray 2 & 3 (option)	250 or 500 sheets each; 5.8"x8.25" to 8.5"x14"; 60–120 gsm
Manual bypass	50 sheets; 4.1"x5.8" to 8.5"x14"; custom sizes; 60–230 gsm
Automatic duplexing	8.5"x14"; 60–105 gsm
Output Capacity (standard)	Max. 150 sheets
Print volume (monthly)	Rec. 5,000 pages; Max. 100,000 pages
Toner lifetime	Black up to 11,000 pages
Imaging unit lifetime	50,000
Power consumption	110-120 V / 50/60 Hz; Less than 0.57 KW
System dimension (W x D x H)	14.7"x15.3"x11.4" (without options)
System weight	Approx. 27lbs (without options)

PRINTER SPECIFICATIONS

Imaging technology	Laser
Toner technology	Polymerized Toner
Print resolution	1,200 x 1,200 dpi
Print Speed Ltr (mono)	Up to 42 ppm
1st print out time Ltr (mono)	7.2 sec.
Warm-up time	Approx. 25 sec.
Page description language	PCL6, PostScript3, Epson FX-850, IBM Proprinter , PDF 1.7, XPS 1.0
Operating Systems	Windows 10/10 x64/11 Windows Server 2016/2019/2022/2025 macOS 12/13/14/15 Linux RPM, DEB
Printer fonts	85 PCL Latin; 66 PostScript 3 Emulation Latin
Mobile Printing	Direct Print Konica Minolta Mobile Print for iPhone/iPad Konica Minolta Mobile Print for Android Driver Packaging Utility Download Manager Web Based Management Mopria for Android

SYSTEM FEATURES

Security Functions (standard)	SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; Secure print; Kerberos
Accounting Functions (standard)	Active Directory support (user name + password + e-mail + smb folder)
Software	Net Care Device Manager; Web Connection; Driver Packaging Utility

Windows 11 chromeOS

For more information about Konica Minolta products and solutions, please visit: **www.konicaminolta.ca**

© 2025 KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA logo, bizhub, and "Giving Shape to Ideas" are registered trademarks or trademarks of KONICA MINOLTA, INC. All other product or brand names are trademarks or registered trademarks of their respective owners. The features and functions mentioned may not be available for all products. Design and specifications are subject to change without notice.

KONICA MINOLTA

KONICA MINOLTA BUSINESS SOLUTIONS (CANADA) LTD.
5875 Explorer Drive, Suite 100
Mississauga, Ontario, L4W 0E1
www.konicaminolta.ca

KMCA-bh4201i-DS-10/25-EN